

Table 3 - Threatened Species Conservation Regulation 2002 Criteria																			
Scientific Name	Common Name	Status Prior to Review of Schedules	Status following Review of Schedules	14 - reduction in pop size		15 - restricted distribution					16 - low numbers of mature individ.					17 - low # of mature individ.		18 - very highly restricted geo. dist. of sp	
				(a) CR - very large ↓ (b) E - large ↓ (c) V - moderate ↓	Overall assessmt met/not met	(a) CR - very highly restricted (b) E - highly restricted (c) V - moderately restricted			Overall assessmt met/not met	(a) CR - very low (b) E - low (c) V - moderately low		Overall assessmt met/not met	(a) CR - extremely low (b) E - very low (c) V - low		Overall assessmt met/not met	For <i>vulnerable species</i> , the geographic distribution of the species is observed, estimated or inferred to be very highly restricted such that it is prone to the effects of human activities or stochastic events within a very short time period.	Overall assessmt met/not met		
						(d) projected or continuing decline	AND EITHER: OR	(e) 2 of the following 3 conditions:		(d) projected or continuing decline	AND EITHER: OR		(e) 2 of the following 3 conditions:						
						(i) severely fragmented pop or hab	(ii) small no. of pops or locations	(iii) extreme fluctuations											
<b>FAUNA</b>																			
<i>Amaurornis olivaceus</i>	Bush-hen *	V	V	DD	Data Deficient	DD	X	X	X	Data Deficient	DD	X	X	X	Data Deficient	DD	Data Deficient	X	Not Met
<i>Amytornis textilis modestus</i>	Thick-billed Grasswren	E	CR	DD	Data Deficient	DD	DD	X	X	Data Deficient	DD	DD	X	X	Data Deficient	✓	Met for CR	N/A	N/A
<i>Burramys parvus</i>	Mountain Pygmy-possum	E	E	✓	Met for E	✓	✓	✓	X	Met for E	✓	✓	✓	X	Met for E	X	Not Met	N/A	N/A
<i>Calamanthus campestris</i>	Rufous Fieldwren	V (as part of <i>C.fuliginosus</i> )	V	X	Not Met	DD	DD	X	X	Data Deficient	✓	DD	X	X	Met for V	X	Not Met	X	Not Met
<i>Calamanthus fuliginosus sensu stricto</i>	Striated Fieldwren	V (as <i>C.fuliginosus</i> )	E(ssp)	X	Not Met	✓	✓	X	X	Met for E	X	X	X	X	Not Met	X	Not Met	N/A	N/A
<i>Callocephalon fimbriatum</i>	Gang-gang Cockatoo	V	V	✓	Met for V	X	X	X	X	Not Met	DD	X	X	X	Data Deficient	X	Not Met	X	Not Met
<i>Calyptorhynchus banksii banksii</i>	Red-tailed Black cockatoo (coastal ssp)	V	CR(ssp)	✓	Met for CR	X	X	X	X	Not Met	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Calyptorhynchus banksii samueli</i>	Red-tailed Black cockatoo (inland ssp)	V	V(ssp)	✓	Met for V	X	X	X	X	Not Met	✓	X	X	X	Met for V	X	Not Met	X	Not Met
<i>Calyptorhynchus lathami</i>	Glossy Black-Cockatoo *	V	V	DD	Data Deficient	X	X	X	X	Not Met	DD	DD	X	X	Data Deficient	X	Not Met	X	Not Met
<i>Cyclopsitta diophthalma coxeni</i>	Coxen's Fig-Parrot/ Double-eyed Fig-parrot	E	CR	X	Not Met	X	X	X	X	Not Met	✓	✓	X	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Emydura macquarii</i> (Bellinger River)	Bellinger River Emydura	V	Delist	Now recognised to be genetically indistinct from the <i>E. macquarii</i> sp, which is considered abundant in NSW.															
<i>Erythrotriorchis radiatus</i>	Red Goshawk	E	CR	✓	Met for CR	X	X	X	X	Not Met	✓	X	✓	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Esacus neglectus</i>	Beach Stone-curlew	E	CR	X	Not Met	X	✓	X	X	Not Met	X	✓	X	X	Not Met	✓	Met for CR	N/A	N/A

Table 3 - Threatened Species Conservation Regulation 2002 Criteria																				
Scientific Name	Common Name	Status Prior to Review of Schedules	Status following Review of Schedules	14 - reduction in pop size		15 - restricted distribution					16 - low numbers of mature individ.					17 - low # of mature individ.		18 - very highly restricted geo. dist. of sp		
				(a) CR - very large ↓ (b) E - large ↓ (c) V - moderate ↓	Overall assessmt met/not met	(a) CR - very highly restricted (b) E - highly restricted (c) V - moderately restricted  AND EITHER: (d) projected or continuing decline				Overall assessmt met/not met	(a) CR - very low (b) E - low (c) V - moderately low  AND EITHER: (d) projected or continuing decline				Overall assessmt met/not met	(a) CR - extremely low (b) E - very low (c) V - low	Overall assessmt met/not met	For <i>vulnerable species</i> , the geographic distribution of the species is observed, estimated or inferred to be very highly restricted such that it is prone to the effects of human activities or stochastic events within a very short time period.	Overall assessmt met/not met	
						(i) severely fragmented pop or hab	(ii) small no. of pops or locations	(iii) extreme fluctuations	(i) severely fragmented pop or hab		(ii) small no. of pops or locations	(iii) extreme fluctuations								
<i>Haematopus fuliginosus</i>	Sooty Oystercatcher	V	V	X	Not Met	X	X	X	X	Not Met	X	X	X	X	Not Met	✓	Met for V	X	Not Met	
<i>Haematopus longirostris</i>	Pied Oystercatcher	V	E	X	Not Met	X	X	X	X	Not Met	✓	X	X	X	Met for E	X	Not Met	N/A	N/A	
<i>Litoria castanea</i>	Yellow-spotted Tree Frog	E	CR	✓	Met for CR	X	X	X	X	Not Met	✓	✓	X	X	Met for CR	✓	Met for CR	N/A	N/A	
<i>Litoria piperata</i>	Peppered Tree Frog	V	CR	✓	Met for CR	X	X	X	X	Not Met	✓	✓	X	X	Met for CR	✓	Met for CR	N/A	N/A	
<i>Litoria spenceri</i>	Spotted Tree Frog	E	CR	✓	Met for CR	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A	
<i>Manorina melanotis</i>	Black-eared Miner	E	CR	X	Not Met	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A	
<i>Neophema pulchella</i>	Turquoise Parrot*	V	V	DD	Data Deficient	DD	DD	DD	DD	Data Deficient	DD	DD	DD	DD	Data Deficient	DD	Data Deficient	DD	Data Deficient	
<i>Ninox strenua</i>	Powerful Owl*	V	V	X	Not Met	X	X	X	X	Not Met	DD	DD	DD	X	Data Deficient	X	Not Met	X	Not Met	
<i>Pachycephala rufogularis</i>	Red-lored Whistler	E	CR	X	Not Met	DD	DD	DD	X	Data Deficient	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A	
<i>Pandion haliaetus</i>	Osprey	V	V	X	Not Met	X	X	X	X	Not Met	X	X	X	X	Not Met	✓	Met for V	X	Not Met	
<i>Pedionomus torquatus</i>	Plains-wanderer	E	E	DD	Data Deficient	DD	✓	✓	✓	Met for E	DD	✓	✓	✓	Met for E	X	Not Met	N/A	N/A	
<i>Petaurus norfolcensis</i>	Squirrel Glider	V	V	✓	Met for V	X	X	X	X	Not Met	X	X	X	X	Not Met	X	Not Met	X	Not Met	
<i>Pseudophryne corroboree</i>	Southern Corroboree Frog	E	CR	✓	Met for CR	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	X	Not Met	N/A	N/A	
<i>Pterodroma leucoptera leucoptera</i>	Gould's Petrel	E	V	X	Not Met	X	X	✓	X	Not Met	X	X	✓	X	Not Met	X	Not Met	✓	Met for V	
<i>Pteropus alecto</i>	Black Flying-fox	V	Delist	X	Not Met	X	X	X	X	Not Met	X	X	X	X	Not Met	X	Not Met	X	Not Met	
<i>Thinornis rubricollis</i>	Hooded Plover	E	CR	X	Not Met	X	X	X	X	Not Met	✓	X	X	X	Met for CR	✓	Met for CR	N/A	N/A	
<i>Turnix melanogaster</i>	Black-breasted button-quail	E	CR	X	Not Met	X	X	X	X	Not Met	✓	✓	X	X	Met for CR	X	Not Met	N/A	N/A	
<i>Tyto tenebricosa</i>	Sooty Owl *	V	V	DD	Data Deficient	DD	DD	DD	DD	Data Deficient	DD	DD	DD	DD	Data Deficient	DD	Data Deficient	DD	Data Deficient	

Table 3 - Threatened Species Conservation Regulation 2002 Criteria																			
Scientific Name	Common Name	Status Prior to Review of Schedules	Status following Review of Schedules	14 - reduction in pop size		15 - restricted distribution					16 - low numbers of mature individ.					17 - low # of mature individ.		18 - very highly restricted geo. dist. of sp	
				(a) CR - very large ↓ (b) E - large ↓ (c) V - moderate ↓	Overall assessmt	(a) CR - very highly restricted (b) E - highly restricted (c) V - moderately restricted				Overall assessmt	(a) CR - very low (b) E - low (c) V - moderately low				Overall assessmt	(a) CR - extremely low (b) E - very low (c) V - low	Overall assessmt	For <i>vulnerable species</i> , the geographic distribution of the species is observed, estimated or inferred to be very highly restricted such that it is prone to the effects of human activities or stochastic events within a very short time period.	Overall assessmt
					met/not met	(d) projected or continuing decline	OR	(e) 2 of the following 3 conditions:			(d) projected or continuing decline	OR	(e) 2 of the following 3 conditions:						
						(i) severely fragmented pop or hab	(ii) small no. of pops or locations	(iii) extreme fluctuations											

**FLORA**

<i>Acacia mcnuttiana</i>		E	V	DD	Data Deficient	X	X	✓	X	Not Met	X	X	✓	X	Not Met	✓	Met for V	X	Not Met
<i>Bertya sp A Cobar-Coolabah - Bertya opponens</i>		V (Tax split)	V	DD	Data Deficient	X	X	✓	X	Not Met	X	X	X	X	Not Met	X	Not Met	✓	Met for V
<i>Bertya sp A Cobar-Coolabah - Bertya sp Clouds Creek</i>		V (Tax split)	E	DD	Data Deficient	✓	X	X	X	Met for E	✓	X	X	X	Met for E	X	Not Met	N/A	N/A
<i>Caladenia tessellata</i>		E	E	DD	Data Deficient	✓	✓	X	X	Met for E	✓	✓	X	X	Met for E	X	Not Met	N/A	N/A
<i>Cynanchum elegans</i>		E	E	DD	Data Deficient	✓	X	X	X	Met for E	✓	X	X	X	Met for E	X	Not Met	N/A	N/A
<i>Diuris ochroma</i>		E	E	DD	Data Deficient	✓	X	✓	X	Met for E	✓	X	✓	X	Met for E	X	Not Met	N/A	N/A
<i>Dodonaea stenozyga</i>		E	CR	DD	Data Deficient	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	✓	Met for V	N/A	N/A
<i>Eucalyptus approximans</i>		E	V	X	Not Met	X	X	✓	X	Not Met	X	X	✓	X	Not Met	X	Not Met	✓	Met for V
<i>Eucalyptus imlayensis</i>		E	CR	DD	Data Deficient	✓	X	✓	X	Met for CR	✓	X	✓	X	Met for CR	X	Not Met	N/A	N/A
<i>Eucalyptus parvula</i>		V	E	DD	Data Deficient	✓	✓	X	X	Met for E	X	X	X	X	Not Met	X	Not Met	N/A	N/A
<i>Eucalyptus recurva</i>		E	CR	DD	Data Deficient	✓	✓	X	X	Met for CR	✓	✓	X	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Fontainea oraria</i>		E	CR	DD	Data Deficient	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Genoplesium baueri</i>		V	V	DD	Data Deficient	✓	X	X	X	Met for V	X	X	X	X	Not Met	X	Not Met	X	Not Met
<i>Genoplesium plumosum</i>		E	CR	DD	Data Deficient	✓	✓	✓	X	Met for CR	X	X	X	X	Not Met	X	Not Met	N/A	N/A
<i>Gentiana bredboensis</i>		E	CR	✓	Met for CR	✓	X	✓	✓	Met for CR	✓	X	✓	✓	Met for CR	✓	Met for CR	N/A	N/A
<i>Gentiana wingecarribiensis</i>		E	CR	✓	Met for CR	✓	✓	✓	✓	Met for CR	✓	✓	✓	✓	Met for CR	✓	Met for CR	N/A	N/A
<i>Grevillea iaspicula</i>		E	CR	X	Not Met	✓	✓	X	X	Met for CR	✓	✓	X	X	Met for CR	X	Not Met	N/A	N/A
<i>Lasiopetalum behrii</i>		E	CR	DD	Data Deficient	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A

Table 3 - Threatened Species Conservation Regulation 2002 Criteria																			
Scientific Name	Common Name	Status Prior to Review of Schedules	Status following Review of Schedules	14 - reduction in pop size		15 - restricted distribution					16 - low numbers of mature individ.					17 - low # of mature individ.		18 - very highly restricted geo. dist. of sp	
				(a) CR - very large ↓ (b) E - large ↓ (c) V - moderate ↓	Overall assessmt met/not met	(a) CR - very highly restricted (b) E - highly restricted (c) V - moderately restricted			Overall assessmt met/not met	(a) CR - very low (b) E - low (c) V - moderately low			Overall assessmt met/not met	(a) CR - extremely low (b) E - very low (c) V - low	Overall assessmt met/not met	For <i>vulnerable species</i> , the geographic distribution of the species is observed, estimated or inferred to be very highly restricted such that it is prone to the effects of human activities or stochastic events within a very short time period.	Overall assessmt met/not met		
						(d) projected or continuing decline	OR	(e) 2 of the following 3 conditions:		(d) projected or continuing decline	OR	(e) 2 of the following 3 conditions:							
(i) severely fragmented pop or hab	(ii) small no. of pops or locations	(iii) extreme fluctuations	(i) severely fragmented pop or hab	(ii) small no. of pops or locations	(iii) extreme fluctuations														
<i>Philotheca ericifolia</i>		V	Delist	X	Not Met	X	✓	X	X	Not Met	X	X	X	X	Not Met	X	Not Met	X	Not Met
<i>Plinthanthesis rodwayi</i>		E	E	DD	Data Deficient	X	X	✓	X	Not Met	X	X	✓	X	Not Met	✓	Met for E	N/A	N/A
<i>Pomaderris delicata</i>		E	CR	DD	Data Deficient	✓	✓	X	X	Met for CR	✓	✓	X	X	Met for CR	X	Not Met	N/A	N/A
<i>Pomaderris reperta</i>		E	CR	DD	Data Deficient	✓	✓	X	X	Met for CR	DD	DD	DD	DD	Data Deficient	DD	Data Deficient	N/A	N/A
<i>Prasophyllum fuscum</i>		V	CR	DD	Not Met	X	X	✓	X	Not Met	X	X	✓	X	Not Met	✓	Met for CR	N/A	N/A
<i>Prasophyllum sp Majors Creek</i>		E	CR	✓	Met for CR	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Prasophyllum uroglossum</i>		E	CR	DD	Not Met	✓	✓	✓	X	Met for CR	✓	✓	✓	X	Met for CR	X	Not Met	N/A	N/A
<i>Pultenaea elusa</i>		E	CR	✓	Met for CR	✓	✓	✓	X	Met for CR	DD	DD	DD	X	Data Deficient	DD	Data Deficient	N/A	N/A
<i>Swainsona murrayana</i>		V	V	✓	Met for V	✓	X	X	X	Met for V	X	X	X	X	Not Met	X	Not Met	X	Not Met
<i>Swainsona sericea</i>		V	V	✓	Met for V	✓	X	X	X	Met for V	X	X	X	X	Not Met	X	Not Met	X	Not Met
<i>Tylophera linearis</i>		E	V	X	Not Met	X	X	✓	X	Not Met	X	X	✓	X	Not Met	✓	Met for V	X	Not Met
<i>Zieria adenophora</i>		E	CR	X	Not Met	✓	X	✓	X	Met for CR	✓	X	✓	X	Met for CR	X	Not Met	N/A	N/A
<i>Zieria buxijugum</i>		E	CR	✓	Met for CR	✓	X	✓	X	Met for CR	✓	X	✓	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Zieria formosa</i>		E	CR	X	Not Met	✓	X	✓	X	Met for CR	✓	X	✓	X	Met for CR	✓	Met for CR	N/A	N/A
<i>Zieria parrisiae</i>		E	CR	DD	Data Deficient	✓	X	✓	X	Met for CR	✓	X	✓	X	Met for CR	✓	Met for CR	N/A	N/A

Table 3 - Threatened Species Conservation Regulation 2002 Criteria																	
Scientific Name	Common Name	Status Prior to Review of Schedules	Status following Review of Schedules	14 - reduction in pop size		15 - restricted distribution				16 - low numbers of mature individ.				17 - low # of mature individ.		18 - very highly restricted geo. dist. of sp	
				(a) CR - very large ↓ (b) E - large ↓ (c) V - moderate ↓	Overall assessmt met/not met	(a) CR - very highly restricted (b) E - highly restricted (c) V - moderately restricted	AND EITHER: (d) projected or continuing decline OR (e) 2 of the following 3 conditions: (i) severely fragmented pop or hab (ii) small no. of pops or locations (iii) extreme fluctuations			Overall assessmt met/not met	(a) CR - very low (b) E - low (c) V - moderately low	AND EITHER: (d) projected or continuing decline OR (e) 2 of the following 3 conditions: (i) severely fragmented pop or hab (ii) small no. of pops or locations (iii) extreme fluctuations			Overall assessmt met/not met	(a) CR - extremely low (b) E - very low (c) V - low	Overall assessmt met/not met
<i>Botaurus poiciloptilus</i>	Australasian Bittern	V	Defer														
<i>Dasyornis brachypterus brachypterus</i>	Eastern Bristlebird Southern ssp	E (as <i>Dasyornis brachypterus</i> )	Defer														
<i>Dasyornis brachypterus monoides</i>	Eastern Bristlebird Northern ssp	E (as <i>Dasyornis brachypterus</i> )	Defer														
<i>Falco hypoleucos</i>	Grey Falcon	V	Defer														
<i>Ptilinopus magnificus</i>	Wompoo Fruit-dove	V	Defer														
<i>Ptilinopus regina</i>	Rose-crowned Fruit-dove	V	Defer														
<i>Tyto novaehollandiae</i>	Masked Owl	V	Defer														
<i>Caladenia concolor</i>		E	Defer														
<i>Haloragis exalata ssp exalata</i>		V	Defer														
<i>Underwoodisaurus sphyrurus</i>	Border thick-tailed gecko	V	Defer														

V - Vulnerable      CR - Critically Endangered  
E - Endangered      DD - Data Deficient

✘ - does not met subcriterion  
✓ - mets subcriterion

\* Insufficient data to delist and insufficient data to elevate