



Operational Guidelines – Natural, Cultural, Park Users and Neighbours		
Guidelines		
FMN 4.2.7		
Aboriginal Cultural Heritage Site Management		
• If all personnel involved in containment are aviation &/or vehicle based fire suppression operations, on site locations and the required management strategies appropriate to the type.		
• Aboriginal sites have been categorised with the following protective actions if possible in the event of a fire.		
• AH1 - As far as possible, protect site from fire. Do not cut down trees.		
• AH2 - As far as possible, protect site from fire. Avoid all ground disturbance including the use of earthmoving machinery, hand tools and vehicles.		
• AH3 - Avoid all ground disturbance. Avoid water bombing. Site may be burnt by bushfire, back-burn or prescribed burn without damage.		
• Use of fire and retardant around the site is acceptable if authorised by the IC.		
Historic Heritage Management		
• If only one heritage feature on this map sheet as described below:		
• Item ID Site Name Site Type Protective Action Required		
• 10124 St Helena Dogo Control Fence Deterrent Vulnerable to fire. May require protection measures.		
Threatened Fauna Management		
• As far as possible, avoid inter-fire intervals of <10 years. If possible avoid the use of retardant in locations where these species are known to occur.		
• Where practicable, protect habitat areas and trees from the fire if the effects of the resulting fire frequency, season & intensity permit.		
• Surfaces may be used except where location is within 50m of a watercourse, dam or swamp. All existing threatened frog records are displayed as an exclusion zone (50m exclusion of surfaces and other fire suppression chemicals).		
• Existing threatened frog flows are known to occur on this map sheet. Undertake protective actions as described below if possible.		
Threatened Flora Management		
• Common Name or Flora Community Protective Action Required		
• Gorge Wattle Dry Heath Shrubland Exclude fire and machine use where possible		
• As far as possible, avoid inter-fire intervals of <10 years. If possible avoid the use of retardant in locations where these species are known to occur.		
• Where practicable, protect large and hollow-bearing trees.		
• Surfaces may be used except where location is within 50m of a watercourse, dam or swamp.		
Threatened Property Management		
• Long Point AP2		
• Wollomombi AP2		
• Possible, strengthen APZ areas around park assets prior to the arrival of wildlife and if possible defend them from fire.		
• Where possible, property owners with assets at risk from a wildfire event should be kept informed regarding the progress of the fire.		
Smoke Management		
• No issues identified		
Visitor Management		
• Long Point:		
• Camping and day use areas will need to be checked for visitors.		
• Gorge View Circuit and Colinton Walk Track will need to be checked for walkers. Helicopter reconnaissance required.		
• As far as possible, avoid inter-fire intervals of <10 years.		
• Depending on location of fire, road closure point at park entrance		
• Camping and day use areas will need to be checked for visitors.		
• Chandler and Wollomombi Track will need to be checked for walkers. Helicopter reconnaissance required.		
• Lower portion of the Chandler Track is closed.		
• Depending on location of fire, road closure point at park entrance		
• No specific warnings		

